

# 1. UNITED KINGDOM CONFORMITY ASSESSMENT UK-TYPE EXAMINATION CERTIFICATE



2. Equipment or Protective systems intended for use in Potentially Explosive Atmospheres  
UKSI 2016:1107 (as amended) – Schedule 3A, Part 1

3. UK-Type Examination Certificate No: FM22UKEX0005X

4. Equipment or protective system:  
(Type Reference and Name) ACLP-IS, ACLP-IS-HDN, AC10-LP-IS, AC15-LP-IS, AC15-LP-IS-HDN, AC20-LP-IS, AC30LP-DW-IS, AC40-LP-IS, AC40-LP-IS-HDN, AC40-LPDW-IS, AC30-60-IS, AC30-60-IS-HYD, AC30-60F-IS, AC60-LP-IS, PT300-IS-NS and PT300DW-IS-NS. Aircraft Weighing Scale

5. Name of Applicant: Intercomp Company

6. Address of Applicant 3839 County Rd 116, Medina, Minnesota 55340-9342, United States of America

7. This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and documents therein referred to.

8. FM Approvals Ltd, Approved Body number 1725, in accordance with Regulation 42 of the Equipment and Protective Systems Intended for Use in Potentially Explosive Atmospheres Regulations 2016, UKSI 2016:1107 (as amended), certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Schedule 1 of the Regulations.

The examination and test results are recorded in confidential report number:

3052103-RR231097 dated 7<sup>th</sup> November 2023

9. Compliance with the Essential Health and Safety Requirements, with the exception of those identified in item 15 of the schedule to this certificate, has been assessed by compliance with the following documents:

EN IEC 60079-0:2018, EN 60079-11:2012

10. If the sign 'X' is placed after the certificate number, it indicates that the equipment is subject to specific conditions of use specified in the schedule to this certificate.

11. This UK-Type Examination certificate relates only to the design, examination and tests of the specified equipment or protective system in accordance with the Regulations. Further requirements of the Regulations apply to the manufacturing process and supply of this product. These are not covered by this certificate.

Certificate issued by:

17 March 2026

Victor Aluko-Oginni  
Certification Manager, FM Approvals Ltd.

Date

**THIS CERTIFICATE MAY ONLY BE REPRODUCED IN ITS ENTIRETY AND WITHOUT CHANGE**

FM Approvals Ltd. Voyager Place, Maidenhead, Berkshire, SL6 2PJ. United Kingdom  
T: +44 (0) 1753 750 000 F: +44 (0) 1753 868 700 E-mail: [atex@fmapprovals.com](mailto:atex@fmapprovals.com) [www.fmapprovals.com](http://www.fmapprovals.com)

F UKEX 020 (Jul/2024)



0259

Page 1 of 3

## SCHEDULE

to UK-Type Examination Certificate No. FM22UKEX0005X

12. The marking of the equipment or protective system shall include:



II 2 G Ex ib IIB T3 Gb

### 13. Description of Equipment or Protective System:

The ACLP-IS, ACLP-IS-HDN, AC10-LP-IS, AC15-LP-IS, AC15-LP-IS-HDN, AC20-LP-IS, AC30LP-DW-IS, AC40-LP-IS, AC40-LP-IS-HDN, AC40-LPDW-IS, AC30-60-IS, AC30-60-IS-HYD, AC30-60F-IS, AC60-LP-IS, PT300-IS-NS and PT300DW-IS-NS aircraft weighing scale contains an indicator assembly, protective interface board, battery pack and two to six resistive type load cells. The weighing scales are standalone devices powered by either four 1.5 V Duracell MN1500 Size: AA (LR6) or MN1400 Size: C (LR14) Alkaline-Manganese Dioxide Battery (Zn/MnO<sub>2</sub>) or powered from an MTL7758+ FM Approved intrinsic safety barrier. The AC30-60-IS, AC30-60F-IS, and AC60-LP-IS models include an angle sensor. The AC30-60-IS, AC30-60-IS-HYD, and AC30-60F-IS are the only models that have a removable battery pack. AC30-60-IS-HYD utilizes hydraulic cylinders. The ambient operating temperature range of the aircraft weighing scales is -20°C to 40°C.

### 14. Specific Conditions of Use:

1. Only Duracell Type MN1400, Size: C (LR14), 1.5 V (Nom) Alkaline-Manganese Dioxide Battery (Zn/MnO<sub>2</sub>) may be used in the AC30-60-IS, AC30-60-IS-HYD, and AC30-60F-IS.
2. Only Duracell Type MN1500, Size: AA (LR6), 1.5 V (Nom) Alkaline-Manganese Dioxide Battery (Zn/MnO<sub>2</sub>) may be used in the AC10-LP-IS, AC15-LP-IS, AC15-LP-IS-HDN, AC20-LP-IS, ACLP-IS, ACLP-IS-HDN, AC40-LPDW-IS, AC40-LP-IS, AC40-LP-IS-HDN, AC60-LP-IS, PT300-IS-NS and PT300DW-IS-NS.
3. The enclosure contains a window constructed from plastic. To prevent the risk of electrostatic sparking the plastic surface should only be cleaned with a damp cloth.
4. The apparatus enclosure contains aluminum and is considered to constitute a potential risk of ignition by impact or friction. Care must be taken into account during installation and use to prevent impact or friction.
5. The scale will not pass a 500 VRMS insulation test between the circuit and circuit frame. This shall be taken into account during installation for example by use of a bonding conductor to the barrier ground.

### 15. Essential Health and Safety Requirements:

The relevant EHSRs that have not been addressed by the standards listed in this certificate have been identified and assessed in the confidential report identified in item 8.

**THIS CERTIFICATE MAY ONLY BE REPRODUCED IN ITS ENTIRETY AND WITHOUT CHANGE**

## SCHEDULE

to UK-Type Examination Certificate No. FM22UKEX0005X

### 16. Test and Assessment Procedure and Conditions:

This UK-Type Examination Certificate is the result of testing of a sample of the product submitted, in accordance with the provisions of the relevant specific standard(s), and assessment of supporting documentation. It does not imply an assessment of the whole production.

Whilst this certificate may be used in support of a manufacturer's claim for UKCA Marking, FM Approvals Ltd accepts no responsibility for the compliance of the equipment against all applicable Regulations in all applications.

This Certificate has been issued in accordance with FM Approvals Ltd's UKCA Certification Scheme.

### 17. Schedule Drawings

A list of the significant parts of the technical documentation is annexed to this certificate and a copy has been kept by the Approved Body.

### 18. Certificate History

Details of the supplements to this certificate are described below:

Date	Description
13 December 2023	Original Issue.
9 August 2024	<u>Supplement 1:</u> Report Reference: RR241792 dated 19 <sup>th</sup> July 2024. Description of the Change(s): Minor design and drawing changes not affecting compliance.
14 October 2024	<u>Supplement 2:</u> Report Reference: RR242634 dated 30 <sup>th</sup> September 2024. Description of the Change(s): Addition of the models PT300-IS-NS and PT300DW-IS-NS.
29 July 2025	<u>Supplement 3:</u> Report Reference: RR246673 dated 25 <sup>th</sup> July 2025. Description of the Change(s): Minor drawing and product changes.
15 October 2025	<u>Supplement 4:</u> Report Reference: RR247903 dated 15 <sup>th</sup> October 2025. Description of the Change(s): Minor drawing and product changes not affecting safety.
17 March 2026	<u>Supplement 5:</u> Report Reference: RR249677 dated 12 March 2026. Description of the Change(s): Minor documentation updates, including the addition of the 5K version of the AC15-LP-IS Scale.

**THIS CERTIFICATE MAY ONLY BE REPRODUCED IN ITS ENTIRETY AND WITHOUT CHANGE**

# Blueprint Report

Intercomp Co 100008147

Class No. 3610

Original Project I.D. 3052103

Certificate I.D. FM22UKEX0005X

<u>Drawing No.</u>	<u>Revision Level</u>	<u>Drawing Title</u>	<u>Last Report</u>	<u>Electronic Drawing</u>
000317-B_BOM	A	PCB ASSY CAS-CAM TILT FREDERIC	3052103	Yes (xml)
000425	C	BATTERY CAP ASSEMBLY	RR215002	Yes (pdf)
000425_BOM	C	BATTERY CAP ASSEMBLY	RR219769	Yes (pdf)
0200120_BOM	C	AC60-LP-IS INDICATOR ASSEMBLY	RR231097	Yes (xml)
0200139_BOM	A	HARNESS ASSY_POWER-COM_AC60-LP-IS	3052103	Yes (xml)
0200150_BOM	B	ACLP-IS INDICATOR ASSEMBLY	3052103	Yes (xml)
0200151	E	AC-LP-DW-IS SCALE ASSEMBLY 30K	RR246673	Yes (pdf)
0200151_BOM	E	AC-LP-DW-IS SCALE ASSEMBLY 30K	RR246673	Yes (pdf)
0200154	C	ACLP-IS 15X15 BASE ASSEMBLY	RR208195	Yes (pdf)
0200154_BOM	C	ACLP-IS 15X15 BASE ASSEMBLY	RR208195	Yes (xml)
0200155_BOM	A	ACLP-IS PWR-COM HARNESS	3052103	Yes (xml)
0200156	D	ACLP-IS SCALE ASSEMBLY 30K	RR246673	Yes (pdf)
0200156_BOM	D	ACLP-IS SCALE ASSEMBLY 30K	RR246673	Yes (pdf)
0200169_BOM	D	AC30-60-IS INDICATOR ASSEMBLY XBEE	RR219769	Yes (pdf)
0200170	A	AC30-60-IS BASIC ASSEMBLY 60K STD	3052103	Yes (pdf)
0200170_BOM	A	AC30-60-IS BASIC ASSEMBLY 60K STD	3052103	Yes (xml)
0200171	D	AC30-60-IS BATTERY HOLDER ASSEMBLY	3052103	Yes (pdf)
0200171_BOM	D	AC30-60-IS BATTERY HOLDER SUB-ASSEMBLY	3052103	Yes (xml)
0200172_BOM	A	AC30-60-IS COM. HARNESS	3052103	Yes (xml)
0200173_BOM	A	AC30-60-IS POWER CABLE HARNESS	3052103	Yes (xml)
0200178_BOM	A	BOM - 0200178 - Assy_AC60LP-IS Protective Interface	RR242634	Yes (pdf)
0200180	D	AC30-60F-IS BATTERY HOLDER ASSEMBLY	3052103	Yes (pdf)
0200180_BOM	D	AC30-60F-IS BATTERY HOLDER ASSEMBLY	3052103	Yes (xml)
0200181_BOM	C	AC30-60F-IS INDICATOR ASSEMBLY XBEE	RR241792	Yes (pdf)
0200299	C	AC3060 5-30K HYD WIRELESS ASSEMBLY	RR246673	Yes (pdf)
0200299_BOM	C	BOM - 0200299 - AC3060 5-30K HYD WIRELESS ASSEMBLY	RR246673	Yes (pdf)
0200300	A	ACLP-IS SCALE ASSEMBLY 30K HDN	RR219769	Yes (pdf)
0200300_BOM	A	Production BOM - 0200300 - ACLP-IS SCALE ASSEMBLY 30K HDN	RR219769	Yes (pdf)
0200301	A	ACLP-IS 15 X 15 BASE ASSEMBLY HDN	RR219769	Yes (pdf)
0200301_BOM	A	Production BOM - 0200301 - ACLP-IS 15 X 15 BASE ASSEMBLY HDN	RR219769	Yes (pdf)
0200387_BOM	A	AC60-LP-IS Circuitry Assy	RR227073	Yes (pdf)
0200414	A	ACLP-IS 15X15 Base Assembly 15K	RR231097	Yes (pdf)
0200414_BOM	A	BOM - ACLP-IS 15X15 Base Assembly 15K	RR231097	Yes (xml)
<b>0200527</b>	<b>C</b>	<b>ASSY_PT300-IS-NS INDICATOR_2 CH (RFX)</b>	<b>RR249677</b>	<b>Yes (pdf)</b>
0200559	A	ACLP-IS 15X15 BASE ASSEMBLY NO ANTI-SKID	RR246673	Yes (pdf)
140067-IS_BOM	C	AC10LP-DW-IS LOW PROFILE RFX PLATFORM SCALE (10K)	RR208195	Yes (xml)
140069_BOM	E	AC30LP-DW LOW PRO PLTFM SCALE	RR246673	Yes (pdf)
140069-IS_BOM	E	AC30LP-DW LOW PRO PLTFM SCALE	RR247903	Yes (pdf)
140296-IS_BOM	F	AC10LP 15X15 10K LOW PRO SCALE	RR246673	Yes (pdf)
144008	G	AC60-LP IS SCALE	RR246673	Yes (pdf)
144008_BOM	G	AC60-LP IS SCALE	RR246673	Yes (pdf)
144019	D	AC30-LP-DW-IS PLATFORM SCALE	RR246673	Yes (pdf)
144019_BOM	D	AC30-LP-DW-IS PLATFORM SCALE	RR246673	Yes (pdf)
144020	D	AC15-LP-IS PLATFORM SCALE (10K	RR246673	Yes (pdf)
144020_BOM	D	AC15-LP-IS PLATFORM SCALE (10K	RR246673	Yes (pdf)
144021	D	AC40-LP-IS PLATFORM SCALE (30K	RR246673	Yes (pdf)
144021_BOM	D	AC40-LP-IS PLATFORM SCALE (30K	RR246673	Yes (pdf)
144036_BOM	C	AC10-LP DW LOW PROFILE RFX PLATFORM SCALE (10K)	RR208195	Yes (xml)
<b>144041</b>	<b>D</b>	<b>AC15-LP-IS PLATFORM SCALE 5K</b>	<b>RR249677</b>	<b>Yes (pdf)</b>
<b>144041-BOM</b>	<b>D</b>	<b>BOM - AC15-LP-IS PLATFORM SCALE 5K</b>	<b>RR249677</b>	<b>Yes (excel12book)</b>
144053	B	AC40-LP-IS RFX LOW PROFILE PLATFORM SCALE (40K)	RR246673	Yes (pdf)
144053_BOM	B	AC40-LP-IS RFX LOW PROFILE PLATFORM SCALE (40K)	RR246673	Yes (pdf)
144054	B	AC40-LP-IS PLATFORM SCALE (30K) HDN	RR246673	Yes (pdf)
144054_BOM	B	BOM - 144054 - AC40-LP-IS PLATFORM SCALE (30K) HDN	RR246673	Yes (pdf)
144055	B	144055 - AC15-LP-IS PLATFORM SCALE (10K) HDN	RR246673	Yes (pdf)
144055_BOM	B	BOM - 144055 - AC15-LP-IS PLATFORM SCALE (10K) HDN	RR246673	Yes (pdf)
144062	B	AC15-LP-IS Platform Scale (15K	RR246673	Yes (pdf)
144063	A	144063 - AC60-LP RFX Platform Scale 70K Cap	RR227073	Yes (pdf)
144063_BOM	A	144063 - AC60-LP RFX Platform Scale 70K Cap	RR227073	Yes (pdf)
144068	A	AC15-LP-IS PLATFORM SCALE (10K) NO ANTI-SKID	RR246673	Yes (pdf)
144068_BOM	A	BOM - 144068 - AC15-LP-IS PLATFORM SCALE (10K) NO ANTI-SKIDpdf	RR246673	Yes (pdf)
145004	A	AC30-60F-IS SCALE ASSEMBLY GRAY	3052103	Yes (pdf)
145004_BOM	A	AC30-60F-IS SCALE ASSEMBLY GRAY	3052103	Yes (xml)
145010	D	AC30-60-IS PLATFORM SCALE	RR246673	Yes (pdf)

145010_BOM	D	AC30-60-IS PLATFORM SCALE	RR246673	Yes (pdf)
145026	A	AC30-60-IS (50K) HYD 10LB.pdf	RR219769	Yes (pdf)
145026_BOM	A	Production BOM - 145026 - AC30-60-IS (50K) HYD 10LB	RR219769	Yes (pdf)
<b>145027</b>	<b>D</b>	<b>145027 - AC30-60-IS (30K) HYD 5LB</b>	<b>RR249677</b>	<b>Yes (pdf)</b>
<b>145027_BOM</b>	<b>D</b>	<b>BOM - 145027 - AC30-60-IS (30K) HYD 5LB</b>	<b>RR249677</b>	<b>Yes (excel12book)</b>
<b>145028</b>	<b>D</b>	<b>145028 - AC30-60-IS (10K) HYD 2LB</b>	<b>RR249677</b>	<b>Yes (pdf)</b>
<b>145028_BOM</b>	<b>D</b>	<b>Production BOM - 145028 - AC30-60-IS (10K) HYD 2LB</b>	<b>RR249677</b>	<b>Yes (excel12book)</b>
145029	A	145029 - AC30-60-IS (5K) HYD 2LB	RR219769	Yes (pdf)
145029_BOM	A	Production BOM - 145029 - AC30-60-IS (5K) HYD 2LB	RR219769	Yes (pdf)
145030	A	AC30-60-IS (60K) HYD 10LB	RR219769	Yes (pdf)
145030_BOM	A	Production BOM - 145030 - AC30-60-IS (60K) HYD 10LB	RR219769	Yes (pdf)
181019	D	PT300-IS-NS WIRELESS WHEEL LOAD SCALE (20KX20)	RR247903	Yes (pdf)
181512	D	PT300DW-IS-NS WIRELESS WHEEL LOAD SCALE (20KX20)	RR247903	Yes (pdf)
2505546	D	CE/EX label for ACXX-LP-IS, AC30-60-IS, AC30-60F-IS	RR231097	Yes (pdf)
2505547	A	BATTERY ORIENTATION LABEL FOR AC1-25 / AC15-LP IS	3052103	Yes (pdf)
2505548	D	WARNING LABEL FOR AC1-25 IS / AC15-LP IS	3052103	Yes (pdf)
2505556	A	PRODUCT MODEL AND SERIAL NUMBER LABEL	3052103	Yes (pdf)
2505557	D	WARNING LABEL FOR AC30-60-IS / AC30-60F-IS	3052103	Yes (pdf)
2505558	A	Battery Orientation label for AC30-60-IS / AC30-60F-IS	3052103	Yes (pdf)
2505666	A	AC60-LP-IS Inserts	RR227073	Yes (pdf)
2505694	A	UKCA-CE-EX label, battery, serial #	RR242634	Yes (pdf)
2505695	A	PT300-IS, FCC, battery polarity	RR242634	Yes (pdf)
2505697	A	PT300DW-IS, FCC, battery polarity	RR242634	Yes (pdf)
270065	B	TILT_SCHEMATIC	3052103	Yes (pdf)
270065_PCB	B	TILT PRINTED CIRCUIT BOARD	3052103	Yes (pdf)
270088_PCB	3	AD REV E PRINTED CIRCUIT BOARD	3052103	Yes (pdf)
2703019	A	PROTECTIVE INTERFACE REV A_SCHEMATIC	3052103	Yes (pdf)
2703019_PCB	1C	PROTECTIVE INTERFACE Rev A PRINTED CIRCUIT BOARD	3052103	Yes (pdf)
501298	D	AC125/LP600/CW250 KEYPAD PROTECTOR	RR215002	Yes (pdf)
503146_BOM	E	AC3060-IS PLATFORM THREAD CHASE	RR231097	Yes (xml)
504995	D	504995 - AC3060 35K-80K HYD WIRELESS ASSEMBLY	RR246673	Yes (pdf)
504995_BOM	D	BOM - 504995 - AC3060 35K-80K HYD WIRELESS ASSEMBLY	RR246673	Yes (pdf)
505415	E	AC3060 BASE	RR246673	Yes (pdf)
505415_BOM	E	AC3060 BASE	RR247903	Yes (pdf)
5201430	H	MH-PT300 BASE	RR247903	Yes (pdf)
5201517	F	PTDW BASE	RR247903	Yes (pdf)
5201597	D	AC60LP PLATFORM	RR208195	Yes (pdf)
5201597_BOM	D	AC60LP PLATFORM	RR205062	Yes (xml)
5201604	G	AC3060 NEX GEN BASE	RR224853	Yes (pdf)
5201604_BOM	G	AC60LP BASE	RR241792	Yes (pdf)
5201605	F	AC60LP SCALE ASSEMBLY	RR246673	Yes (pdf)
5201605_BOM	F	AC60LP SCALE ASSEMBLY	RR246673	Yes (pdf)
5201710	B	AC3060 KEYPAD SUPPORT	3052103	Yes (pdf)
5201712	C	AC3060 KEYPAD PROTECTOR	RR219769	Yes (pdf)
5201714	C	AC3060 KEYPAD GASKET	RR227073	Yes (pdf)
5201716	D	AC60LP BATTERY COVER	RR246673	Yes (pdf)
5202077	B	AC30-60F-IS-BASIC ASSEMBLY 60K GRAY	RR231097	Yes (pdf)
5202146	A	AC30-IS BATTERY PROTECTIVE TUBE	3052103	Yes (pdf)
5204041	C	PT300-IS MECHANICAL SCALE ASSEMBLY	RR246673	Yes (pdf)
5204042	B	PT300DW-IS MECHANICAL ASSEMBLY 20K	RR247903	Yes (pdf)
5204050	A	KEYPAD SUPPORT_PT300-IS	RR242634	Yes (pdf)
5204096	A	FRONT IS SCALE LABEL PLATE	RR242634	Yes (pdf)
5204097	A	PT300-IS SCALE LABEL PLATE	RR242634	Yes (pdf)
5204098	A	PT300DW-IS SCALE LABEL PLATE	RR242634	Yes (pdf)
5204098	B	PT300DW-IS SCALE LABEL PLATE	RR246673	Yes (pdf)
5204199	A	AC125 15 PLATFORM NO ANTI-SKID	RR246673	Yes (pdf)
550230_BOM	A	AC3060 ANGLE SENSOR CABLE	3052103	Yes (xml)
603215	C	TESTED LP STEEL LOADCELL	RR223425	Yes (pdf)
6033232	D	LOADCELL DOUBLE END SHEAR 15K	RR219769	Yes (pdf)
7005070	L	AC60LP-IS USER MANUAL	RR231097	Yes (pdf)
7005073	K	AC10LP-IS, AC15LP-IS PLATFORM SCALE OPERATION/CALIBRATION MANUAL	RR231097	Yes (pdf)
7005074	L	AC20LP-IS, AC40LP-IS, ACLP-IS, ACLP-DW-IS PLATFORM SCALE OPERATION/CALIBRATION MANUAL	RR231097	Yes (pdf)
7005085	K	AC30-60-IS & AC30-60F-IS PLATFORM SCALES OPERATIONS MANUAL	RR231097	Yes (pdf)
7005242	B	MANUAL - PT300-IS-NS/PT300DW-IS-NS Wheel Load Scale	RR247903	Yes (pdf)
750517	B	AD REV E CONTROL PANEL HARNESS	3052103	Yes (pdf)
750687	B	AC3060 ANGLE HARNESS	3052103	Yes (pdf)
750761	D	ASSY INST-AC125 MECH ASSY	RR246673	Yes (pdf)
7510278	E	PROTECTIVE INTERFACE	RR241792	Yes (pdf)
7510279	A	AC60-LP-IS POWER/COM HARNESS	3052103	Yes (pdf)
7510280	E	Assembly Instructions: AC60-LP-IS Circuitry Assy	RR247903	Yes (pdf)
7510287	B	AC30-60 SYSTEM BLOCK DIAGRAM	3052103	Yes (pdf)

7510292	B	AC10/15-LP-IS SYSTEM BLOCK DIAGRAM	3052103	Yes (pdf)
7510293	B	AC40-LP-IS SYSTEM BLOCK DIAGRAM	3052103	Yes (pdf)
7510294	B	AC30-60-IS SYSTEM BLOCK DIAGRAM	3052103	Yes (pdf)
7510314	C	ASSY INST_ACLP-IS CIRCUITRY ASSY	RR246673	Yes (pdf)
7510326	B	AC30-60-F-IS SYSTEM BLOCK DIAGRAM	3052103	Yes (pdf)
7510374_BOM	D	AC6CH-IS BOARD	RR241792	Yes (pdf)
7510375	B	ACXX-LP-IS & AC30-60-IS SYSTEM INSTALLATION	3052103	Yes (pdf)
7510378	A	AD REV E, IS VERSION_SCHEMATIC	3052103	Yes (pdf)
7510383	D	AC6CH-IS CONFORMAL COAT	RR241792	Yes (pdf)
7511373	B	COM HARNESS, PT - LP (IS)	RR246673	Yes (pdf)
7511374	B	POWER HARNESS, PT - LP (IS)	RR246673	Yes (pdf)
7511413	A	System Diagram - PT300-IS-NS	RR242634	Yes (pdf)