

Intercomp®

advanced weighing technology . . . by any measure



RFX® HUBSCALE360™



Vehicle Alignment System with Self-Contained Wireless Scales

View Any Combination of Scale Weight & Percentage



(PC Not Included)

- RaceWeigh™ Software with Hub Compensation Calculations
- Encryption Ensures Secure Wireless Communication



Center of Gravity Calculation



Target Tune Feature



Reflective Ruler with Both Inches & Centimeters



A Variety of Hub Adaptors Are Available, Including Blank & Custom Adaptors

Frame Designed for Additional Brake Caliper Clearance



Steel Insert for Use with Intercomp's Digital Caster/Camber Gauge with Magnetic Adapter



Ball Transfer Bearing Technology for 360° Rotation

Triangular Leveler with Hardened Base Plate (Sold Separately)

- Use in Place of Wheel & Tire for Repeatable Setup
- Provides Easy Access to Suspension Adjustments
- Stainless Steel Ball Transfer Bearings Increase Durability & Allow the System to Move Freely with the Suspension
- Adjustment Range in 1/24" or 1 mm Increments
- 1,500 lb (700 kg) Corner Capacity
- 6,000 lb (2,800 kg) System Capacity

RFX® HUBSCALE360™ Wireless Scale System

Includes: 4 Hub Plate Scales, 8 Reflective Rulers/ String Sticks, 1 Wireless Handheld Indicator, 1 RFX™ USB Node & RaceWeigh™ Software

PART#	QUANTITY INCLUDED	DESCRIPTION
170317	4	RFX® HubScale360™ Wireless Scale System Tire Diameter 23" to 28" (584 to 711 mm)

Height: Min 15.67" (398 mm) / Max 18.67" (711 mm)
Increments: .042" (1 mm)

Hub adaptor inserts sold separately (See pg 4 Options & Accessories)



Weights Displayed on RFX® Indicator & in RaceWeigh™ Software Simultaneously



Call Us at 800-328-3336 USA +1 763-476-2531 Worldwide

Visit Us Online at intercompracing.com or Find Us on

Options and Accessories

Hub Adapters

PART#	QUANTITY INCLUDED	DESCRIPTION	PART#	QUANTITY INCLUDED	DESCRIPTION
170214	4	Porsche 5 x 130 mm	179001	4	Ferrari
170215	4	Riley Center Lock	170218	4	Viper 6 x 4.5
170216	4	RSR Center Lock	170300	4	Blank 6 Piston Caliper
170217	4	5 x 5	170219	4	Blank



Custom Adapters Available Upon Request

Hub Scale Leveler Pads

PART#	QUANTITY INCLUDED	DESCRIPTION
171006	4	Hub Plate System Triangular Leveler Pads <i>Height: Min 2.55" (6 cm) / Max 3.9" (10 cm)</i> <i>Base Plate Cut Out: 5" (13 cm) x 2.25" (6 cm)</i>
179013	12	Pucks/Feet for Hub Scale Leveler Pads <i>Height: 2.25" (6 cm) / Circumference: 9.42" (24 cm)</i>



Custom Carrying Case (Two Cases)

PART#	QUANTITY INCLUDED	DESCRIPTION
170229	2	High-quality Carrying Case for Safe, Secure Storage <i>24.5" (62 cm) x 17" (43 cm) x 15" (38 cm)</i>



Digital Caster Camber Gauge

PART#	QUANTITY INCLUDED	DESCRIPTION
100793	1	Digital Caster/Camber Gauge with Magnetic Adapter



Reflective Rulers

PART#	QUANTITY INCLUDED	DESCRIPTION
170209	2	Reflective Rulers for Hub Plate/Scale (One Pair/Two Arms with Each 170209) <i>Wheel Diameter: 18" (46 cm) - 26" (66 cm); Increments: 1/16" (1 mm)</i>


Reflective Ruler Spacers

170232	4	0.25" Spacers Used to Shim the Alignment Rulers
--------	---	---



Serrated Spacers

PART#	QUANTITY INCLUDED	DESCRIPTION	PART#	QUANTITY INCLUDED	DESCRIPTION
170233	2	1" spacer	170238	2	25 mm spacer
170234	2	0.75" spacer	170239	2	15 mm spacer
170235	2	0.5" spacer	170240	2	10 mm spacer
170236	2	0.25" spacer	170242	2	5 mm spacer
170237	2	0.125" spacer	170243	2	2.5 mm spacer

 facebook.com/intercompracing
 @intercompracing
 @intercompracing1
 highperf@intercomcompany.com
 Worldwide: +1 763-476-2531
 Toll Free: 800-328-3336



Specifications subject to change without notice.



ISO 9001:2015
Registered

