

PT300™ Wheel Load Scales

Self-Contained, High-Capacity
Portable Wheel Load Scales



The Industry Standard in Digital Wheel Load Weighing

PT300™ scales have been setting the bar for portable, self-contained, compact wheel load scales for decades. Used to maximize legal payloads with concern for violations and reduction of maintenance due to overload stress on equipment, these all

aluminum, fully electronic scales are capable of weighing up to 25,000 lb (11,300 kg) with an accuracy of $\pm 1\%$.

Progressive advancements in weighing technology have opened the doors to improving on this time-tested industry standard. Today, PT300™ scales are built with fully integrated RFX® Wireless Weighing Technology, providing the ability for scale data to be received, recorded, and observed on a variety of indicators, as well as to control scale functions remotely.

In addition, battery life has been significantly enhanced with the use of solar panels that will power the scales for up to a year before needing direct power charging with daytime outdoor use.

PT300™ WHEEL LOAD SCALES



NTEP Certified
Models Available



IP67 Protection

Accuracy of ±1% of Reading

Available in Capacities
to 25,000 lb (11,300 kg) per Pad

Large LCD Display with
Backlight for Easy Readings
from Scales





Rugged, Lightweight Aluminum
Construction Built to Withstand Heavy
Use; Ideal for Unimproved Surfaces

Solar Power Provides up to One Year of
Battery Life with Daytime, Outdoor Use
(up to 250 hours without Solar Power,
batteries included)

Integrated Indicator with Comprehensive
Push Button Controls Include:
On/Off, Local/Total, Zero & Print/Accum



*RFX® Wireless Weighing is not a standard feature on all models.
Models are available without this feature.*



Compatible with these Intercomp Devices (Sold Separately)



HH60™ Weighing Indicators



PT20™ Weighing CPU



TS30™ Touchscreen CPU



Thermal Printer

info@intercompcompany.com
Worldwide: +1 763-476-2531
Toll Free: 800-328-3336

© 2022 Intercomp Company



Specifications subject to change without notice.



Printed in the U.S.A.

700730-MIL